

	Type	L #	Hits	Search Text	DBs	Time Stamp
1	BRS	L1	24	6029196.uref.	USPAT; US-PGP UB	2004/04/29 10:54
2	BRS	L3	0	L1 and L2	USPAT; US-PGP UB	2004/04/29 10:54
3	BRS	L4	39	L1 L2	USPAT; US-PGP UB	2004/04/29 10:54
4	BRS	L5	37	L4 and @ad<20000620	USPAT; US-PGP UB	2004/04/29 11:19
5	BRS	L6	4	L5 and relay\$3	USPAT; US-PGP UB	2004/04/29 10:55
6	BRS	L7	68	(relay adj server) and @ad<20000620	USPAT; US-PGP UB	2004/04/29 11:09
7	BRS	L8	72	(relay adj server) near5 (identifier\$1 or id\$1 or url or address)	USPAT; US-PGP UB	2004/04/29 11:19
8	BRS	L9	8	8 and @ad<20000620	USPAT; US-PGP UB	2004/04/29 11:16
9	BRS	L10	1405	(provid\$3 near3 (url or address or identifier)) with (server\$1 or proxy or relay)	USPAT; US-PGP UB	2004/04/29 11:19
10	BRS	L11	498	10 and @ad<20000620	USPAT; US-PGP UB	2004/04/29 11:19
11	BRS	L12	0	8 same configur&7	USPAT; US-PGP UB	2004/04/29 11:20
12	BRS	L13	6	8 same configur\$7	USPAT; US-PGP UB	2004/04/29 11:22

	Type	L #	Hits	Search Text	DBs	Time Stamp
13	BRS	L2	15	5983273.uref.	USPAT; US-PGP UB	2004/04/29 11:26
14	BRS	L14	18	725/\$.ccls. and 709/220-222.ccls.	USPAT; US-PGP UB	2004/04/29 11:27
15	BRS	L15	16	14 and configur\$7	USPAT; US-PGP UB	2004/04/29 11:30
16	BRS	L16	7394	(transmit\$6 send\$3 provid\$3 transfer\$5) with (URL address id identification) with (server relay proxy) with (client computer appliance tv television phone telephone node)	USPAT; US-PGP UB	2004/04/29 11:32
17	BRS	L17	325	(transmit\$6 send\$3 provid\$3 transfer\$5) with (URL address id identification) with (server relay proxy) with (client computer appliance tv television phone telephone node) with (configurat\$3 profile personaliz\$6)	USPAT; US-PGP UB	2004/04/29 11:35
18	BRS	L18	125	L17 and (@ad<20000620)	USPAT; US-PGP UB	2004/04/29 11:36
19	BRS	L19	218	(transmit\$6 send\$3 provid\$3 transfer\$5) with (URL address) with (server relay) with (client computer appliance tv television phone telephone node) with (configurat\$3 profile personaliz\$6)	USPAT; US-PGP UB	2004/04/29 11:40
20	BRS	L20	93	19 and (@ad<20000620)	USPAT; US-PGP UB	2004/04/29 11:40

	Type	L #	Hits	Search Text	DBs	Time Stamp
21	BRS	L21	64	((transmit\$6 send\$3 provid\$3 transfer\$5) near3 (URL address)) with (server relay) with (client computer appliance tv television phone telephone node) with (configurat\$3 profile personaliz\$6)	USPAT; US-PGP UB	2004/04/29 11:43
22	BRS	L22	25	21 and (@ad<20000620)	USPAT; US-PGP UB	2004/04/29 11:44
23	BRS	L23	64	((transmit\$6 send\$3 provid\$3 transfer\$5) near3 (URL address)) with (server relay) with (client computer appliance tv television phone telephone node (set adj top adj box)) with (configurat\$3 profile personaliz\$6)	USPAT; US-PGP UB	2004/04/29 11:55
24	BRS	L25	25	23 and (@ad<20000620)	USPAT; US-PGP UB	2004/04/29 12:00
25	BRS	L26	88	((transmit\$6 send\$3 provid\$3 transfer\$5) near5(URL address)) with (server relay) with (client computer appliance tv television phone telephone node (set adj top adj box)) with (configurat\$3 profile personaliz\$6)	USPAT; US-PGP UB	2004/04/29 11:55
26	BRS	L27	33	26 and (@ad<20000620)	USPAT; US-PGP UB	2004/04/29 12:08
27	BRS	L28	70	5793972.uref.	USPAT; US-PGP UB	2004/04/29 12:08
28	BRS	L30	66	28 and (@ad<20000620)	USPAT; US-PGP UB	2004/04/29 12:08

	Type	L #	Hits	Search Text	DBs	Time Stamp
29	BRS	L31	50	30 and (configur\$6 personaliz\$5)	USPAT; US-PGP UB	2004/04/29 12:09

	Type	Hits	Search Text
25	BRS	703	709/221.ccls.
26	BRS	1299	709/220.ccls.
27	BRS	2407	709/219.ccls.
28	BRS	74354	(configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)
29	BRS	0	((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay adj server)) and 709/221.ccls.
30	BRS	0	((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay adj server)) and 709/220.ccls.
31	BRS	6	((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay adj server)) and 709/219.ccls.
32	BRS	4	((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay adj server)) and 709/219.ccls.) and @ad<20000620
33	BRS	20	((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay adj server)) and @ad<20000620
34	BRS	6204	((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay)
35	BRS	313	709/221.ccls. and ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node))
36	BRS	629	709/220.ccls. and ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node))

	Type	Hits	Search Text
37	BRS	671	709/219.ccls. and ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node))
38	BRS	196	(709/221.ccls. and ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node))) and @ad<20000620
39	BRS	307	(709/220.ccls. and ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node))) and @ad<20000620
40	BRS	369	(709/219.ccls. and ((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node))) and @ad<20000620
41	BRS	138	((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (profile adj server)
42	BRS	4	(((((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (profile adj server)) and relay\$3) and @ad<20000620
43	BRS	99	((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay with server with (appliance client device node computer)) and profile
44	BRS	9	(((((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay with server with (appliance client device node computer)) and profile and (token tag rfid (radio adj frequency adj (identification id)))) and @ad<20000620
45	BRS	1	((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and ((remote token tag rfid (radio adj frequency adj (identification id))) with (URL address) with (relay adj server))

	Type	Hits	Search Text
46	BRS	7	((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and ((remote token tag rfid (radio adj frequency adj (identification id))) with (URL address) with (relay with server))
47	BRS	526	(configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node) near (interface)
48	BRS	215	((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node) near (interface)) and @ad<20000620
49	BRS	5	((((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node) near (interface)) and @ad<20000620) and 709/219.ccls.
50	BRS	2	((((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node) near (interface)) and @ad<20000620) and 709/221.ccls.
51	BRS	8	((((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node) near (interface)) and @ad<20000620) and 709/220.ccls.
52	BRS	527	(configur\$6 reconfigur\$6 personaliz\$6) near (television tv telephon phone appliance (smart adj appliance) device computer client server node) near (interface)
53	BRS	908	(configur\$6 reconfigur\$6 personaliz\$6) near (television tv telephon phone appliance (smart adj appliance) device computer client server node) near (interface screen monitor)
54	BRS	385	((configur\$6 reconfigur\$6 personaliz\$6) near (television tv telephon phone appliance (smart adj appliance) device computer client server node) near (interface screen monitor)) and @ad<20000620

	Type	Hits	Search Text
55	BRS	3	((configur\$6 reconfigur\$6 personaliz\$6) near (television tv telephone phone appliance (smart adj appliance) device computer client server node) near (interface screen monitor)) and @ad<20000620) and 709/221.ccls.
56	BRS	5	((configur\$6 reconfigur\$6 personaliz\$6) near (television tv telephone phone appliance (smart adj appliance) device computer client server node) near (interface screen monitor)) and @ad<20000620) and 709/219.ccls.
57	BRS	11	((configur\$6 reconfigur\$6 personaliz\$6) near (television tv telephone phone appliance (smart adj appliance) device computer client server node) near (interface screen monitor)) and @ad<20000620) and 709/220.ccls.
58	BRS	4	((token tag (remote adj device) rfid (radio frequency (id identification)))with(URL address))and (relay adj server) and ((profile configuration)adj server)
59	BRS	0	((configur\$6 reconfigur\$6 personaliz\$6) near (television tv telephone phone appliance (smart adj appliance) device computer client server node) near (interface screen monitor)) and @ad<20000620) and (relay adj server)
60	BRS	37176	((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and @ad<20000620
61	BRS	20	((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and @ad<20000620) and (relay adj server)
62	BRS	64	((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay adj server)

	Type	Hits	Search Text
63	BRS	20	((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay adj server)) and @ad<20000620
64	BRS	516	((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay\$3 with (address URL))
65	BRS	243	((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay\$3 with (address URL))) and @ad<20000620
66	BRS	76119	(configur\$6 reconfigur\$6 personaliz\$6) near (television tv telephone phone appliance (smart adj appliance) device computer client server node)
67	BRS	38230	((configur\$6 reconfigur\$6 personaliz\$6) near (television tv telephone phone appliance (smart adj appliance) device computer client server node)) and @ad<20000620
68	BRS	20	((configur\$6 reconfigur\$6 personaliz\$6) near (television tv telephone phone appliance (smart adj appliance) device computer client server node)) and @ad<20000620) and (relay adj server)
69	BRS	252	((configur\$6 reconfigur\$6 personaliz\$6) near (television tv telephone phone appliance (smart adj appliance) device computer client server node)) and @ad<20000620) and (relay\$3 with (address URL))
70	BRS	52	((configur\$6 reconfigur\$6 personaliz\$6) near (television tv telephone phone appliance (smart adj appliance) device computer client server node)) and @ad<20000620) and (relay\$3 with (address URL) with server)
71	BRS	28	((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay with server with (appliance client device node computer)) and profile) and @ad<20000620

	Type	Hits	Search Text
72	BRS	18	((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (profile adj server)) and relay\$3
73	BRS	32	((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay with server with (appliance client device node computer)) and profile and (token tag rfid (radio adj frequency adj (identification id)))
74	BRS	9	((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (relay with server with (appliance client device node computer)) and profile and (token tag rfid (radio adj frequency adj (identification id)))) and @ad<20000620
75	BRS	4	((((configur\$6 reconfigur\$6 personaliz\$6) near (appliance (smart adj appliance) device computer client server node)) and (profile adj server)) and relay\$3) and @ad<20000620
76	BRS	19376	(configur\$6 reconfigur\$6 personaliz\$6) near (interface (program adj guide) application)
77	BRS	72	(configur\$6 reconfigur\$6 personaliz\$6) near (program adj guide)
78	BRS	2	((configur\$6 reconfigur\$6 personaliz\$6) near (program adj guide)) and @ad<20000620) and relay\$3
79	BRS	35	((configur\$6 reconfigur\$6 personaliz\$6) near (program adj guide)) and @ad<20000620
80	BRS	3	((configur\$6 reconfigur\$6 personaliz\$6) near (program adj guide)) and @ad<20000620) and profile
81	BRS	83	(configur\$6 reconfigur\$6 personaliz\$6) near ((tv television interactive program) adj guide)

	Type	Hits	Search Text
82	BRS	39	((configur\$6 reconfigur\$6 personaliz\$6) near ((tv television interactive program) adj guide)) and @ad<20000620

	Type	Hits	Search Text
112	BRS	1301	709/220.ccls.
113	BRS	704	709/221.ccls.
114	BRS	1	(709/220.ccls. 709/221.ccls.) and (relay adj server)
115	BRS	1854	709/220.ccls. 709/221.ccls.
116	BRS	1	(709/220.ccls. 709/221.ccls.) and (relay adj server)
117	BRS	133	(709/220.ccls. 709/221.ccls.) and ((transfer\$4 send\$3 transmit\$6 provid\$3) with (URL address) with (server relay) with (computer client node tv television phone telephone appliance))
118	BRS	69	((709/220.ccls. 709/221.ccls.) and ((transfer\$4 send\$3 transmit\$6 provid\$3) with (URL address) with (server relay) with (computer client node tv television phone telephone appliance))) and @ad<20000620
119	BRS	66	((709/220.ccls. 709/221.ccls.) and ((transfer\$4 send\$3 transmit\$6 provid\$3) with (URL address) with (server relay) with (computer client node tv television phone telephone appliance))) and @ad<20000620) and (configur\$6 personaliz\$6)